

Audi Q2

Huntaggable

Essentially unmistakeable

a lot will change with the new Audi Q2. It's smart,

customised, confident and impossible to categorise.

It is #untaggable. Because your own ideas show the way,

whether in town or off the beaten track, in everyday life or off the clock.

The vehicle concept for this newcomer comprises numerous innovative technologies and a new, impressive style. Accompany the ambitious Q2 through Scandinavion a journey that is as unconventional as the vehicle itself.

Follow the Audi Q2 through #untaggab

Design #newcomerlegend Page 06

Infotainment and connectivity #nowfuture Page 18

Interior #privatestage Page 22

Driving dynamics #adventureproof Page 26

Equipment, lines and packages #contrastharmonious Page 32

Highlights and accessories #clearlyversatile Page 48









































#angularroundness

Underline the individual style and character of the Audi Q2 with Audi wheels.

Treat yourself to a particularly powerful appearance in your favourite design.

Yet stay on the safe side all the time. Because Audi wheels are subjected to specific test procedures, undergo rigorous testing and are of superb quality.


Some of the equipment illustrated or described is optional equipment for which and extra charge is made. Please contact your Audi partner or visit www.audi.com for detailed information about standard and optional equipment. The figures for fuel consumption and CO₂ emissions can be found from page 54 onwards.

¹ From quattro GmbH. ² Please note the special information relating to wheels on page 55.

- #1 18" Audi Sport cast aluminium wheels in 5-turbine design in magnesium look, gloss turned finish¹/²
 - #2 19" Audi Sport cast aluminium wheels in 5-arm rotor design in gloss anthracite black, gloss turned finish^{1,2}
 - #3 17" cast aluminium wheels in 5-V-spoke design

Many additional wheels can be found at

- #4 18" cast aluminium wheels in 5-arm dynamic design, contrasting grey, partly polished²
- #5 18" Audi Sport cast aluminium wheels in 5-arm offroad design in matt titanium look, gloss turned finish¹/₂







The figures for fuel consumption and CO2 emissions can be found from page 54 onwards. 1Please note the special information relating to wheels on page 55.


#offlineonline

Discover the world of the Audi Q2. More information, more individuality and more exclusivity. Now at www.audi.com.

And visit #untaggable to see how the journey of the Q2 continues.



Scan the QR code using your smartphone or tablet and discover the world of the Audi Q2.



52 53

Audi Q2 Technical data

Model	Audi Q2 1.4 TFSI (110 kW)		Audi Q2 1.6 TDI (85 kW)		Audi Q2 2.0 TDI (110 kW) ^{1,2}	Audi Q2 2.0 TDI (140 kW) ^{1,2}	
Engine type	4-cylinder inline petrol engine with direct fuel injection, turbocharging and Audi cylinder on demand technology		4-cylinder inline diesel engine with common rail injection system and turbocharging		4-cylinder inline diesel engine with common rail injection system and turbocharging	4-cylinder inline diesel engine with common rail injection system and turbocharging	
Displacement in cc (valves per cylinder)	1,395 (4)		1,598 (4)		1,968 (4)	1,968 (4)	
Max. output³ in kW at rpm	110/5,000-6,000		85/3,250-4,000		110/3,500-4,000	140/3,500-4,000	
Max. torque in Nm at rpm	250/1,500-3,500		250/1,500-3,200		340/1,750-3,000	400/1,900-3,300	
Power transmission							
Drive type	Front-wheel drive		Front-wheel drive		quattro permanent all-wheel drive	quattro permanent all-wheel drive	
Transmission type	6-speed manual transmission [7-speed S tronic]		6-speed manual transmission [7-speed S tronic¹]		[7-speed S tronic]	[7-speed S tronic]	
Weights/capacities							
Unladen weight⁴ in kg	1,340	[1,355]	1,385	[1,395]	[1,550]	[1,555]	
Gross vehicle weight in kg	1,825	[1,840]	1,870	[1.880]	[2,035]	[2,040]	
Permissible roof load limit/ nose weight in kg	60/75	[60/75]	60/75	[60/75]	[60/75]	[60/75]	
Trailer load limit ^s in kg Unbraked 12 % gradient 8 % gradient	670 1,500 1,700	[670] [1,500] [1,700]	690 1,500 1,700	[690] [1,500] [1,700]	[750] [1,800] [1,800]	[750] [1,800] [1,800]	
Fuel tank capacity, approx. in l	50	[50]	50	[50]	[55]	[55]	
Performance/consumption ⁶							
Top speed in km/h	212	[212]	197	[197]	[211]	[218]	
Acceleration 0–100 km/h in s	8,5	[8,5]	10,3	[10,5]	[8,1]	[7,3]	
Fuel grade	Sulphur-free super RON 95 ⁷		Sulphur-free diesel ⁸		Sulphur-free diesel ⁸	Sulphur-free diesel ⁸	
Fuel consumption ^{9, 10} in I/100 km urban extra-urban combined	6.8-6.7 5.1-4.8 5.8-5.5	[6.5-6.3] [4.9-4.6] [5.5-5.2]	5.0-4.9 4.4-4.1 4.6-4.4	[4.5-4.3] [4.3-4.0] [4.3-4.1]	[5.8-5.6] [4.6-4.3] [5.0-4.8]	[5.9–5.7] [4.6–4.4] [5.1–4.9]	
CO₂ emissions ^{9, 10} in g/km combined	130-124	[125-119]	120-114	[114-109]	[131-125]	[134-128]	
Emission standard	EU6	[EU6]	EU6	[EU6]	[EU6]	[EU6]	

Explanation of ¹ to ¹⁰ on page 55.

Explanatory notes

- ¹ Ask your Audi Partner for precise details of the deadline.
- Refilling the separate AdBlue® tank in accordance with the instructions in the instrument cluster display. AdBlue is a registered trademark of the Verband der Automobilindustrie e. V. (VDA) [German Association of the Automotive Industry].
- ³ The figure given was calculated using the specified measuring procedure (current version of UN-R 85).
- 4 Unladen vehicle weight includes driver (75 kg) and fuel tank 90% full, calculated in accordance with the current version of Reg. (EU) 1230/2012. Optional equipment may increase the car's unladen weight and drag coefficient, whereupon the possible payload limit and the top speed will be reduced accordingly.
- The engine's power output always decreases with increasing altitude. At 1,000 m above sea level, and for every additional 1,000 m, deduct 10% from the weight of the outfit (trailer load limit + gross weight of the towing vehicle). Figure for trailer load limit applies to factory-fitted trailer towing hitch. If using the vehicle with a trailer towing hitch for commercial purposes, a digital tachograph may be required under certain conditions.
- ⁶ Fuel consumption and CO₂ emission figures given in ranges depending on the tyre/wheel sets used.
- We recommend using sulphur-free super unleaded RON 95 fuel complying with DIN EN 228. If this is not available, use sulphur-free regular unleaded RON 91 fuel complying with DIN EN 228; power output will be slightly reduced. Unleaded RON 95 fuel with a maximum ethanol content of 10% (E10) can generally be used. Fuel consumption details refer to operation with RON 95 fuel complying with 692/2008/EC.
- 8 We recommend using sulphur-free diesel complying with DIN EN 590. If this is not available, use diesel complying with DIN EN 590.
- 9 The figures given were calculated using the specified measuring procedures. The figures do not refer to one individual vehicle and do not form part of any offer, but rather should be used purely for purposes of comparison between the different vehicle models.
- ¹⁰ A vehicle's fuel consumption and CO₂ emissions do not just depend on how efficiently the vehicle uses the fuel, but are also influenced by driving behaviour and other non-technical factors. CO₂ is the greenhouse gas primarily responsible for global warming.

Classifications of tyre parameters

The table shows the range of fuel efficiency, wet grip and exterior noise emission classes for the different tyre sizes of the Audi Q2.

	Tyre size	Fuel efficiency class	Wet grip class	Exterior noise emission class	
Summer tyres	205/60 R 16	С	В	71	(C-1)
	215/60 R 16	В	В	69	((-1))
	215/55 R 17	С	А	68	((c-1))
	215/50 R 18	В	А	68	((c-1))
	235/40 R 19	С	В	71	((-1))
Winter tyres	205/60 R 16	E	В	71	((-1))
	215/55 R 17	E	E-C	71	((-1))

It is not possible to order a specific tyre. Please ask your Audi partner which tyres are available in your country.

Important note

Special information about the wheels: Wheels with gloss turned finish as well as polished or partly polished aluminium wheels must not be used in wintry road conditions. For manufacturing reasons, the rim surface does not have sufficient corrosion protection for such use and can be damaged permanently by road salt or similar.

Audi Q2

dimensions

Audi 02 Dimensions in mm

Dimensions are for unladen vehicle weight. Luggage compartment volume¹ 405/1,050 l (second value is with the rear seat backrest folded down and the vehicle loaded up to roof height). Turning circle approx. 11.1 m.


*Maximum headroom. ** Elbow room width. *** Shoulder room width.

Audi Q2 quattro Dimensions in mm

Dimensions are for unladen vehicle weight. Luggage compartment volume¹ 355/1,000 l

(second value is with the rear seat backrest folded down and the vehicle loaded up to roof height). Turning circle approx. 11.1 m.

*Maximum headroom. ** Elbow room width. *** Shoulder room width.



¹Technical specifications refer to a basic vehicle without country-specific basic equipment and selected optional equipment.

Legal notice about Audi connect

Use of the services supported by Audi connect is possible only in conjunction with an optional navigation system. Audi connect services are provided through AUDI AG. The data connection for the Audi connect services is set up through a mobile services provider via a SIM card permanently installed in the vehicle. The costs for these data connections are included in the price of Audi connect services. The costs of the Wi-Fi hotspot are not included. The data connection for the Wi-Fi hotspot can be arranged with a selected mobile services provider as a payable data tariff. You will find information about tariffs and booking at www.audi.com/myaudi.

Alternatively, a customer SIM card can be inserted into the card slot to establish a data connection. In conjunction with the optional Audi phone box, a Bluetooth-capable smartphone with remote SIM Access Profile (rSAP)² can also be connected to use the integrated car phone function. If an external SIM card is inserted into the card slot or connected via rSAP, all data connections, both for the Audi connect services as well as for the Wi-Fi hotspot, will be established via this external SIM card. In such cases, the costs incurred are attached to those accrued via the external SIM card. The availability of the services supported by Audi connect varies from country to country.

Audi connect services are provided for at least 1 year from vehicle delivery. Following a period of 24 months from vehicle delivery, Audi connect services are extended once free of charge for 12 months. If you do not require this extension, please write to:

AUDI AG

Audi International Customer Care Services 85045 Ingolstadt, Germany

Email: kundenbetreuung@audi.de

Tel.: +49 800 28347378423

Ask your Audi partner about a subsequent extension of the Audi connect services. Depending on the vehicle model, Audi connect enables access to Google and Twitter services. Permanent availability cannot be guaranteed, Google and Twitter are responsible for this. Please visit www.audi.com/connect or contact your Audi partner for more detailed information about Audi connect; contact your mobile services provider for information about contract conditions.

Equipment of the Audi Q2 illustrated (p. 2-31): Equipment line: Audi Q2 Edition #13

Paint finish: quantum grey

Wheels: 19-inch Audi Sport cast aluminium wheels in 5-arm rotor design

in gloss anthracite grey, gloss turned finish⁴

Seats/seat upholstery: sport seat in fine Nappa leather, black,

accentuated strips and contrasting stitching in rock grey

Inlay: format light graphics with Ambiente lighting package

² Please contact your Audi partner or visit www.audi.com/bluetooth for information on compatible mobile phones. ³ For information on when this feature will be available, please contact your Audi partner.

⁴Please note the special information relating to wheels on page 55.



Auto-Union-Straße 1 D-85045 Ingolstadt www.audi.com Valid from September 2016

Printed in Germany 633/1150.19.18

The models and equipment versions illustrated and described in this brochure and some of the services listed are not available in all countries. Some of the cars illustrated are equipped with optional features for which an extra charge is made. Details concerning the delivery specifications, appearance, performance, dimensions and weights, fuel consumption and running costs of the vehicle were correct to the best of our knowledge at the time of going to press. Deviations from the colours and shapes shown in the illustrations may occur. No liability is accepted for errors and printing errors. The right to introduce modifications is reserved. Not to be reproduced, including in part, without the written approval of AUDI AG.

FSC
www.fsc.org
MIX
Paper from
responsible sources
FSC* C017373

This brochure is printed on paper made from pulp bleached without the use of chlorine.

